


EMSLRC CLINCON 2006  
2006 Clinical Conference on Professional Emergency Care

The Richard Slevinski Keynote Presentation  
ClinCon, Orlando, Florida 2006

## Emergency Vehicle Safety: Your Life Depends On It



Nadine Levick, MD MPH  
www.ObjectiveSafety.net

## Outline

- ▶ Look at the data on EMS transport safety
- ▶ Demonstrate what happens during an ambulance crash
- ▶ Review of national guidelines and standards
- ▶ Address what needs to be done to enhance safety in EMS transport

## Key Issues

- ▶ Mythology
  - That Emergency Medical Service personnel are safe
- ▶ Injury Hazards
  - Biohazard
  - Chemical/Radiation
  - Physical/Mechanical trauma – THE BIG PROBLEM
- ▶ Motor Vehicle Crashes are the highest cause of death at work – EMS has > 2X the mean national rate
- ▶ An R & D and Regulatory Gap
  - Occupational Health and Safety
    - the workplace is in a vehicle – exposure data are scant
  - Automotive Safety
    - a vehicle is the work place – 'exempt' from automotive research and regulation

## Safety oversight of what and by .... whom

- ▶ Vehicle Safety
- ▶ Vehicle Design
- ▶ Safety Equipment Design
- ▶ Vehicle and Safety Equipment Testing and Standard development
- ▶ Safety policies

## USA EMS

- ▶ EMS Systems - >15,000
- ▶ Personnel - ~1 million  
(~30% F/T professional & 70% volunteer)
- ▶ Vehicles - ~50,000  
(Type I, Type II, Type III, Freightliners, ?motorcycles)
- ▶ Transports - ~50 million  
(to Emergency Depts ~ 50%, < 1/3 emergent)
- ▶ Cost - ~\$5 Billion annually
- ▶ Safety Oversight - ? Disparate

<http://www.objectivesafety.net>



Science/Health

Groundbreaking Research

For Children, a Safer!

## EMSC news

### Crash Testing for Pediatric Ambulance Transport Safety Begins



## the EMS process

- ▶ communications/dispatch
- ▶ the patient
- ▶ restraining device/seat
- ▶ transporting device/gurney
- ▶ paramedics/transport nurses, doctors & family
- ▶ patient monitoring equipment
- ▶ clinical care & interventions
- ▶ protective equipment
- ▶ the vehicle
- ▶ the driver/driving skill
- ▶ other road users
- ▶ the road

TIME  
&  
PLACE





## EMS Provider Fatalities

- ▶ 12.7 fatalities/100,000 EMS workers
- ▶ Greater than 2 X the national average (5.0 fatalities/100,000)
- ▶ Similar to Police (14.2/100,000) and Fire Fighters (16.5/100,000)

\* Maguire, Hunting, Smith & Levick, Occupational Fatalities in Emergency Medical Services: A Hidden Crisis, Annals of Emergency Medicine, Dec 2002

## and what is killing EMS ?

### EMS personnel fatalities\*

- ▶ 74% transportation related
  - + 1/5 of ground transport fatalities were struck by moving vehicles
- ▶ 11% were cardiovascular
- ▶ 9% were homicide
- ▶ 4% needle sticks, electrocution, drowning and other

\* Maguire, Hunting, Smith & Levick, Occupational Fatalities in Emergency Medical Services: A Hidden Crisis, Annals of Emergency Medicine, Dec 2002

## So does it make sense ?


- ▶ Gloves and universal precautions?...  
... good biohazard protection BUT aren't going to give much protection in a ambulance crash

## Predictable risks

- ▶ More often at intersections, & with another vehicle (p < 0.001)\*
- ▶ Most serious & fatal injuries occurred in rear (OR 2.7 vs front) & to improperly restrained occupants (OR 2.5 vs restrained)
- ▶ 82% of fatally injured EMS rear occupants unrestrained\*\*
- ▶ > 74% of EMT occupational fatalities are MVC related\*\*\*
- ▶ Serious head injury in >85% of fatal occupant injuries#
- ▶ 70% of fatal crashes EMS crashes during Emergency Use#
- ▶ More likely to crash at an intersection with traffic lights (37% vs 18% p=0,001) & more people & injuries/crash than similar sized vehicles##

\*Nahr CA, Myrland RD, Kohn BM. Prehospital Emergency Care 2001 Jul-Sep;15(3):261-9  
\*\*Becker, Zaslavsky, Levick, LI, Miller. Acc Anal Prev 2003  
\*\*\*Maguire, Hunting, Smith, Levick. Annals Emerg Med Dec 2002  
#Ray AM, Kagan DP. Prehosp Emerg Care 2005 Dec; 9:415-415  
##WTCRA. JGCP Parts 871, 872 & 888 Document no. 80-26, volume 7

## A word about occupational transportation fatalities..



▶ WE HAVE A BIG PROBLEM HERE

\* Maguire, Hunting, Smith & Levick, Occupational Fatalities in Emergency Medical Services: A Hidden Crisis, Annals of Emergency Medicine, Dec 2002

## EMS Injuries\*

- ▶ Higher than the injury rate for any private industry published by DOL
- ▶ 34.6 injuries/100 fulltime workers per year
- ▶ 1.5 x that of fire fighters
- ▶ 5.8 x that of health services personnel
- ▶ 7 x the national average

\* Maguire, Hunting, Guidotti & Smith, Occupational Injuries among Emergency Medical Services Personnel, Prehospital and Emergency Care Oct/Dec 2005

## Haddon/Baker/Runyan Phase-Factor Matrix as applied to EMS Safety\*

FACTOR	Paramedic/ patient (person)	Vehicle (agent)	Environment (physical/organizational)	Biocultural	
PHASE					Effectiveness
pre crash (pre event)	driving history, driver education, speeding, eading road signs	collision avoidance, anti lock brakes, vehicle weight, speed	traffic discipline, EVOC, implemented road design markings	EMS image (repute & trust), awareness, discrimination from L.E.S.	Cost benefit
crash (event)	seat belt, restraint use, child safety seat use	air bags, restraint design, bumper & crumple zone design	collision speed, road side hardware	It can and does happen	Ethics
post crash (post event)	gender, severity, age, underlying morbidity	ease of extrication, burn resistant fabrics	EMS system quality, traffic management system	rehabilitation, documentation and data collection	Social acceptability
					Societal need

## Goals

- ▶ Standards for safety
- ▶ Policy based on Science
- ▶ Databases to demonstrate outcome


## General Concerns

- ▶ Consequences can be predictable & likely preventable
- ▶ Costs of these adverse events are high in loss of life, financial burden and negative impact on delivery of EMS care
- ▶ Other high speed vehicles (eg. racing cars) have a different safety paradigm
- ▶ Design of interventions to mitigate injury is predicated on a valid testing model
- ▶ Complex both engineering and public health issues

## Background: USA Problems

- ▶ No reporting system or database specifically for identifying ambulance crash related injury
- ▶ No occupational and health safety standards to protect providers from injury
- ▶ Rear passenger compartment, > 60cm behind driver - exempt from Federal Motor Vehicle Safety Standards (FMVSS)

## USA Ambulances: FMVSS Exempt



## What do ambulance crashes really cost ?

- ▶ Loss of life and injury
- ▶ Negative impact on EMS system
- ▶ Collisions are the largest liability cost and exceeds malpractice or negligence
- ▶ Besides the direct financial costs of replacing a damaged ambulance and equipment, there are additional hidden costs incurred:
  - investigating the ambulance collision
  - litigation /settlement/lawsuit
  - medical/disability costs of injured EMTs
  - hiring of new employees to replace injured personnel
  - restraining and psychological counseling of personnel involved and others
  - increased insurance rates

## "Are our policies killing people?"

- ▶ 1991-2000, 302,969 Emergency vehicles were involved in MVCs - 1,565 involving fatalities\*
- ▶ In PA 1997-2001, ambulances were more likely than similar sized vehicles to be involved in\*:
  - 4 way intersection crashes (43% vs 23%, p=0.001)
  - Collisions at traffic signals (37% vs 18%, p=0.001)
  - MVCs with more people injured (76% vs 61%, p=0.001)

\*Comparison of Crashes Involving Ambulances with those of similar sized vehicles - Adam Ray, Douglas Kupas, PEC Dec 2005;9-412-415

## So.. The real world for an EMS vehicle approaching a red light

- ▶ You think they heard you...
- ▶ You know they must have seen you..
- ▶ And maybe they did
- ▶ ..... But..
- ▶ There is NO way humanly possible that they could stop.....

## This is happening out there NOW....

Is a license enough for ambulance drivers?

Extent of EMT training questioned by witness

By BAYD DRIVER  
http://www.bayd.com

October 2004, Vol. 1, No. 1

While waiting for the ambulance to arrive, I saw a witness who said that the ambulance driver was not wearing his seat belt and was not wearing his seat belt. The witness said that he was in the ambulance when it crashed. The witness said that he was in the ambulance when it crashed. The witness said that he was in the ambulance when it crashed.

It's no different than someone who delivers pizza.

64 It's no different than someone who delivers pizzas.

—Gregg Theunies, EMT-CC/EMT-P  
http://www.bayd.com

## Gregg Theunies Appeal to his Senator, December 29, 2005

Follow-up EMS Response Procedures Checklist to Governor

QUESTIONS

REMARKS

1. How many EMS vehicles were involved in the crash?

2. How many EMS personnel were involved in the crash?

3. How many EMS vehicles were damaged?

4. How many EMS personnel were injured?

5. How many EMS vehicles were involved in the crash?

6. How many EMS personnel were involved in the crash?

7. How many EMS vehicles were damaged?

8. How many EMS personnel were injured?

9. How many EMS vehicles were involved in the crash?

10. How many EMS personnel were involved in the crash?

11. How many EMS vehicles were damaged?

12. How many EMS personnel were injured?

## Increasing awareness ...

FEDERAL FLEETMAN.COM

EMS CLOSE CALLS

Firefighter's Close Calls.Com

EMSCloseCalls.com

THINK ZONE


THINK ZONE

THINK ZONE

## Crash Prevention

- ▶ EVOC
- ▶ Tiered Dispatch
- ▶ The "Black Box"
- ▶ Intelligent vehicle design
- ▶ Appropriate policy

## Only two technical symposia 2001 and 2003 (next planned for 2007)



## What do we know now??

- ▶ Intersection crashes are the most lethal
- ▶ There are documented hazards, some which can be avoided
- ▶ Occupant and equipment restraint with standard belts is effective. (Over the shoulder harnesses for patients should be used, with the gurney in the upright position where medically feasible)
- ▶ Some vehicle design features are beneficial - automotive grade padding in head strike areas, seats that can slide toward the patient
- ▶ Electronic Driver monitoring/feedback systems appear to be highly effective
- ▶ Head protection??

## No need to reinvent the wheel...



## A number of potential interventions to enhance safety have been identified:

- ▶ Safety Policy
- ▶ Safety performance standards
- ▶ Vehicle crashworthiness
- ▶ Vehicle interior ergonomics
- ▶ Personal Protective Equipment design
- ▶ Driver training and simulation
- ▶ Safety and risk awareness modification
- ▶ Risk behavior modification
- ▶ Intelligent Transportation Systems (ITS)

## The 'workplace' IS a vehicle

- ▶ Providers often in vulnerable positions during transport.
  - Bench seat
  - Captain's chair
  - Standing or kneeling




## But what about head protection?



## Role of a head protective device

- ▶ A simple, immediate and inexpensive adjunct – a protective device -
  - To protect occupants from hazardous interiors
  - As vehicle crashworthiness design advances
  - As driver training advances
  - For when equipment becomes unsecured
  - As EMS Safety Standards are developed, for both EMS vehicles and EMS occupational safety

## Preliminary Study: Attitudes to Head Protection in EMS



## New EMS helmet prototypes for 2006-2007



Hmm...



So why is it...

- ▶ That the EMS providers -
  - Were wearing navy blue – one of the most difficult colors to see at night
  - Had no head protection, when all other emergency personnel at the scene did
  - Had no protective clothing, when other emergency personnel at the scene did???

### Protective devices/concepts


To prevent a crash

- ▶ Driver feedback
- ▶ Driver monitoring
- ▶ Driver training
- ▶ Vehicle ITS technologies
- ▶ Tiered dispatch
- ▶ Appropriate policies

In the event of a crash

- ▶ Vehicle crashworthiness
- ▶ Seat/seat belt systems
- ▶ Equipment lock downs
- ▶ Padding
- ▶ Head protection

### Automotive Injury Triangle and Safety Development



### The "Black Box"

Driver behavior monitoring and feedback device

How to modify the risk-taking behaviour of emergency medical service drivers?


De Waard D, Strayer D, Calle RA, Vanhaeke OJ, Bultmann WH.

How to modify the risk-taking behaviour of emergency medical service drivers? De Waard D, Strayer D, Calle RA, Vanhaeke OJ, Bultmann WH. In: Proceedings of the 10th International Conference on Traffic and Transport Psychology, 2004, pp. 1-6.

### Purpose of 'Black box' Program

- ▶ Enhance Safety
- ▶ Improve Driver Performance
- ▶ Save Maintenance Dollars
- ▶ Aid Accident / Incident Investigation

### Demonstrated Effectiveness



### Monitoring and feedback devices

- ▶ Implementation well received by the providers.
- ▶ 20% cost saving in vehicle maintenance within 6 months.
- ▶ No increase in response times
- ▶ Fewer crashes and less severe crashes
- ▶ Sustained improvement in safety proxies, with no insertive or retraining after the initial introduction period.

### Dynamic Safety Testing

- ▶ requires sophisticated, expensive equipment
- ▶ measurably demonstrates forces generated during collision
- ▶ accepted international standard for vehicle restraint systems

If we know this – and its published....





Why do we do this?



### Full Vehicle Crash Tests - 2000


Test 1 – Right side impact



Air EMS is a role model for safety initiatives and focus



### American National Standard ANSI/ASSE Z15.1-2006 Safe Practices for Fleet Motor Vehicle Operations



### What Z15 encompasses

- ▶ Safety Program
- ▶ Safety Policy
- ▶ Responsibilities and Accountabilities
- ▶ Driver Recruitment, Selection and Assessment
- ▶ Organizational Safety Rules
- ▶ Orientation and Training
- ▶ Reporting Rates and Major Incidents to Executives
- ▶ Oversight

## Z15 Incident Rates

- ▶ Incident rate based on number of vehicles operated:  
Incident rate =  $\frac{\text{Number of incidents} \times 100}{\text{Number of vehicles}}$
- ▶ Incident rate based on vehicle mileage:  
Incident rate =  $\frac{\text{Number of incidents} \times 1,000,000}{\text{Vehicle mileage}}$
- ▶ Injury incident rate based on vehicle mileage:
  - Injury incident rates, the most frequently used indicator of incident severity, are useful for tracking events that have the potential to affect financial or operational performance of the operating unit.
  - Injury incident rate =  $\frac{\text{Number of incidents with injury} \times 1,000,000}{\text{Vehicle mileage}}$
- ▶ Incident rates based on service activity:
  - Motor vehicle operations that pose injury risks other than those associated with driving should also use the service activity as the basis of a safety performance rate. The number of deliveries, stops, or loads should be considered as appropriate indicators of performance.
  - Incidents per 10,000 transports =  $\frac{\text{Number of incidents} \times 10,000}{\text{Number of transports}}$
- ▶ Vehicle injury rates based on work hours:  
Vehicle incidents per 200,000 hours =  $\frac{\text{Number of incidents} \times 200,000}{\text{Number of hours worked}}$

## Safety Management

- ▶ A Safety Culture
- ▶ Protective Policies
- ▶ Protective Devices
  - In the event of a crash
  - To prevent a crash
- ▶ Continuous Education and Evaluation

## EMS Risk/Hazards

- ▶ Predictable risks
- ▶ Predictable fatal injuries
- ▶ Serious occupational hazard
- ▶ Public safety hazards

## Safety Enhancements Being Implemented

- ▶ EVOC
- ▶ Tiered dispatch
- ▶ Monitoring & Feedback devices
- ▶ Helmets
- ▶ Optimized ambulance vehicle design
- ▶ New Standards

## Future

- ▶ Meaningful Goals
- ▶ New policies
- ▶ New practices
- ▶ New standards
- ▶ New vehicles
- ▶ New technologies

## Important Principles !

1. A culture of safety
  2. Drive cautiously
  3. Wear your belts & restrain all occupants
  4. Secure all equipment
  5. Integrate scientific data into your policies and procedures
- Unrestrained occupants and equipment are a potential injury risk to all occupants

## Very Important Principle

Ambulance transport safety is part of a **SYSTEM**, the overall balance of risk involves the safety of all occupants and the public

## small changes can make a BIG DIFFERENCE

- ▶ **PREPARE – TEACH – REACH – RESPOND**
  - **Look** at your own safety record
  - **Teach** safety and hazard awareness
  - **Reach** out with safety information to all your EMS providers
  - **Respond** with the best safety practices

**PREDICTABLE  
PREVENTABLE  
and  
NO ACCIDENT**

## Conclusion

- ▶ Major advances in EMS safety research, infrastructure and practice over the past 5 years
- ▶ New technologies for vehicle design, occupant PPE and equipment restraint and driver performance are now available
- ▶ Development of substantive EMS safety standards is a necessity and a reality
- ▶ Enhanced cross disciplinary collaboration in development of safety initiatives now exist
- ▶ EMS is still way behind the state of the art in vehicle safety and occupant protection

## And....

- ▶ It is no longer acceptable for EMS to be functioning outside of automotive safety and PPE safety standards for prevention of and protection of EMS providers and the public from injury and death

## Acknowledgements

- ▶ EMSC funding – Targeted Issues Grant, PED-SAFE-T
- ▶ The late Capt. Garry Criddle – ExNHTSA/EMSC
- ▶ George Gillespie & Michael Schultze – US Military NAWC
- ▶ Joe McIntire & Joe Liscina - USAARL
- ▶ Veridian/Calspan/CenTIR
- ▶ Ambulance Association of America
- ▶ The USA EMS community
- ▶ Bill Murphy - Ontario Ministry of Health
- ▶ Muttiah Jeyendra - Standards Australia
- ▶ Research assistants – Allison Better, Tony Tsai, Phillip Lee, Puneet Gupta and Leo McFarland.